



746 BAY ROAD

No. 8327

File 93-348

COPY #170
FEE
COPIED FROM BUILDING INSP. FILES
6/28/13

THE COMMONWEALTH OF MASSACHUSETTS

BOARD OF HEALTH

Town Amherst, Mass.

Application for Disposal Works Construction Permit

Application is hereby made for a Permit to Construct () or Repair () an Individual Sewage Disposal System at:

746 Bay Road
Location - Address
Plantation Valley Homes, Inc.
Owner
LA VALLEY + SONS
Installer

Lot A
or Lot No.
123 Meadow St. Florence, Ma.
Address
FLORENCE
Address

Type of Building
Dwelling - No. of Bedrooms 3 Expansion Attic () Garbage Grinder ()
Other - Type of Building Frame No. of persons Max. 6 Showers () - Cafeteria ()
Other fixtures

Design Flow 55 gallons per person per day. Total daily flow 330 gallons.
Septic Tank - Liquid capacity 1500 gallons Length 10' Width 6' Diameter Depth 5'
Disposal Trench - No. Width Total Length Total leaching area sq. ft.
Seepage Pit No. 2 Diameter 750 gal. Depth below inlet 24" Total leaching area 800 sq. ft.

Other Distribution box () Dosing tank ()
Percolation Test Results Performed by John A. Brickett R.S. Date 11/8/83
Test Pit No. 1 2 minutes per inch Depth of Test Pit 36" Depth to ground water None
Test Pit No. 2 ----- minutes per inch Depth of Test Pit 120" Depth to ground water None

Description of Soil 0" to 6" loam - 6" to 36" sandy loam - 36" to 84" fine sand - 84" to 120" silt - no water at 120"

Nature of Repairs or Alterations - Answer when applicable

Agreement:
The undersigned agrees to install the aforescribed Individual Sewage Disposal System in accordance with the provisions of TITLE 5 of the State Sanitary Code - The undersigned further agrees not to replace the system in operation until a Certificate of Compliance has been issued by the board of health.



Signed [Signature] Date 11/8/83
Application Approved By [Signature] Date 11-30-83

Application Disapproved for the following reasons:

Permit No. 83-27 Issued 12-1-83 Date

THE COMMONWEALTH OF MASSACHUSETTS

BOARD OF HEALTH

OF

Certificate of Compliance


THIS IS TO CERTIFY, That the Individual Sewage Disposal System constructed () or Repaired () by


at
has been installed in accordance with the provisions of TITLE 5 of The State Sanitary Code as described in the application for Disposal Works Construction Permit No. dated

THE ISSUANCE OF THIS CERTIFICATE SHALL NOT BE CONSTRUED AS A GUARANTEE THAT THE SYSTEM WILL FUNCTION SATISFACTORY.

DATE Inspector

CHECK OR FILL IN WITH INK





DEEP TEST LOG

LOAM	6"
SANDY LOAM	36"
FINE SAND	84"
SILT	120"

NO WATER

BAY ROAD

