

**BOARD OF HEALTH, AMHERST, MASSACHUSETTS**  
**APPLICATION FOR DISPOSAL WORKS CONSTRUCTION PERMIT**

#351

No. 73-31 Date May 9, 1973 Fee \$3.00 Date Rec'd. May 9, 1973 By DGF

Application is hereby made for a permit to Construct ( ☒ ) or Repair ( ) an Individual Sewage Disposal System at:

Location—Address 351 HENRY ST. or Lot No. #2  
 Owner ROY DY DUSTRIAL INC. Address CUSHMAN ROAD SHUTESBURY  
 Contractor W.W. CLARK Address SHUTESBURY

Type of Building \_\_\_\_\_ Dimensions \_\_\_\_\_ Size Lot 34, 186 SF.

Dwelling—No. of Bedrooms 4 Expansion Attic ( ) Garbage Grinder ( ☒ )

Other \_\_\_\_\_ No. of persons \_\_\_\_\_ Showers ( )

Other fixtures \_\_\_\_\_

Town Water? YES Type of Well \_\_\_\_\_

Design Flow 50 gallons per person per day. Total daily flow 400 gallons

Septic Tank—Liquid capacity 1200 gallons Dimensions: L 10'-0" W 5'-6" D 4'-10"

Disposal Trench—No. 1 Width 21 Total Length 30 Total leaching area 600 sq. ft.

Disposal Bed—No. OR Diameter \_\_\_\_\_ Depth below inlet \_\_\_\_\_ Total leaching area \_\_\_\_\_ sq. ft.

Dry Well—No. 1 Diameter 6 Depth below inlet 7 Dimensions: 7 x 10 x 30 300

Other: Distribution box ( ) No. \_\_\_\_\_ Dosing tank ( )

(Depth of Soil Line Below finished grade at foundation \_\_\_\_\_)

Percolation Test Results Performed by J. HARTZ HUNTLEY ENGR Date 3/9 & 10/73

Test Pit No. 1 5 minutes per inch

Depth of Test Pit 2'-6"

Test Pit No. 2 - minutes per inch

Depth of Test Pit 7'-0"

Description of Soil GRAVEL Depth to Ground Water NONE

Will disposal area be filled? \_\_\_\_\_ Cut down? \_\_\_\_\_

(On reverse side or separate sheet, show plot plan with building. Include dimensions, distances from all boundaries. Show location of wells, streams, ledge, large trees, etc.)

AGREEMENT: The undersigned agrees to construct the aforescribed individual sewage disposal system in accordance with the provisions of Article XI of the Sanitary Code and regulations of the Amherst Board of Health. The undersigned further agrees not to place the system in operation until a Certificate of Compliance has been issued by this board of health.

Application Approved by CE Dwyer

Roy Dy Industrial Inc.  
 Owner or builder

4/9/73  
 date  
5-10-73  
 date

Application Disapproved for the following reasons:

**BOARD OF HEALTH, AMHERST, MASSACHUSETTS**  
**CERTIFICATE OF COMPLIANCE**

THIS IS TO CERTIFY, That the individual Sewage Disposal System installed ( ) or repaired ( ) by \_\_\_\_\_ at \_\_\_\_\_ has been constructed in accordance with the provisions of

INSTALLER

Article XI of the State Sanitary Code as described in the application for Disposal Works Construction Permit No. \_\_\_\_\_ dated \_\_\_\_\_

The issuance of this certificate shall not be construed as a guarantee that the system will function satisfactorily.

DATE \_\_\_\_\_

Inspector \_\_\_\_\_

**BOARD OF HEALTH, AMHERST, MASSACHUSETTS**  
**DISPOSAL WORKS CONSTRUCTION PERMIT**

No. 73-31

Permission is hereby granted Roy Industrial W. Maloney to construct ( ☒ ) or repair ( ) an Individual Sewage Disposal System at LOT #2 HENRY ST as shown on the application for Disposal Works Construction Permit No. 73-31

This permit is issued with the understanding that future alterations or additions will be made if necessary. This permit shall not be construed as permission to create or maintain any sewage nuisance and in the issuance of this permit the Board of Health assumes no responsibility for the future operation or maintenance of the system.

DATE 5-10-73

CE Dwyer  
 Board of Health

1954

1954

1954

1954

1954

1954


1954

1954

1954

1954


1954



3/4" TO 1/2" WASHED STONE  
DETAIL LEACHING PIT  
NO SCALE


NOTE:

- 1) ALL WORK TO BE DONE  
IN ACCORDANCE WITH  
THE STATE SANITARY  
CODE, ARTICLE XI



PLAN OF PROPOSED  
SEWAGE DISPOSAL SYSTEM  
AMHERST MASS.  
PREPARED FOR  
ROY INDUSTRIES INC.  
1"=40' 4/3/73

ALMER HUNTLEY, JR. & ASSOCIATES, INC.  
REGISTERED LAND SURVEYORS & CIVIL ENGINEERS  
238 BRIDGE STREET  
NORTHAMPTON, MASS.







## OBSERVATION PIT

REQUESTED BY:

ROY IND'S INC.

DATE:


3/9/73

LOCATION:


HENRY ST. AMHERST

OBSERVER:


MAIL ADDRESS:




GROUND WATER NONE  
PERC. RATE = 5 MIN./IN.



GROUND WATER NONE  
PERC. RATE = 5 MIN./IN.



GROUND WATER NONE  
PERC. RATE = 5 MIN./IN.



GROUND WATER NONE  
PERC. RATE = 7 MIN./IN.

ALMER HUNTLEY, JR. &amp; ASSOCIATES, INC.

REGISTERED LAND SURVEYORS &amp; CIVIL ENGINEERS

238 BRIDGE STREET

