


91 Hulst Rd.



BOARD OF HEALTH, AMHERST, MASSACHUSETTS
APPLICATION FOR DISPOSAL WORKS CONSTRUCTION PERMIT

91 Hunt Rd

No. 774-5 Date August 9, 1974 Fee \$3.00 Date Rec'd. 8/9/74 By DGF

Application is hereby made for a permit to Construct (✓) or Repair () an Individual Sewage Disposal System at:

Location—Address 91 Hunt Rd ELF HILL SUBDIVISION or Lot No. 244

Owner ED MARKERT Address 1200 BAY ROAD, AMHERST

Contractor SAME Address _____

Type of Building DWELLING Dimensions 26x56 Size Lot 1.03 ACRES

Dwelling—No. of Bedrooms 4 Expansion Attic () Garbage Grinder (✓)

Other _____ No. of persons 8 Showers ()

Other fixtures _____

Town Water? Type of Well _____

Design Flow 50 gallons per person per day. Total daily flow 400 gallons

Septic Tank—Liquid capacity 1200 gallons Dimensions: L 8'-6" W 4'-10" D 5'-4"

Disposal Trench—No. 1 Width 15' Total Length 40' Total leaching area 600 sq. ft.

Disposal Bed—No. _____ Diameter _____ Depth below inlet _____ Total leaching area _____ sq. ft.

Dry Well—No. _____ Diameter _____ Depth below inlet _____ Dimensions: _____ x _____ x _____

Other: Distribution box (✓) No. _____ Dosing tank ()

(Depth of Soil Line Below finished grade at foundation _____)

Percolation Test Results Performed by HUNTLEY ASSOCIATES Date 12-4-73

Test Pit No. 1 10.0 minutes per inch Depth of Test Pit 3'-3"

Test Pit No. 2 _____ minutes per inch Depth of Test Pit 7'-0"

Description of Soil 10" ORG. TOPSOIL, 4'-2" SAND + SILT, 1'-3" GREY SAND, 9" CLAY Depth to Ground Water 6'-3"

Will disposal area be filled? NO Cut down? NO

(On reverse side or separate sheet, show plot plan with building. Include dimensions, distances from all boundaries. Show location of wells, streams, ledge, large trees, etc.)

AGREEMENT: The undersigned agrees to construct the aforescribed individual sewage disposal system in accordance with the provisions of Article XI of the Sanitary Code and regulations of the Amherst Board of Health. The undersigned, further agrees not to place the system in operation until a Certificate of Compliance has been issued by this board of health.

Application Approved by [Signature] System must be 4' ABOVE MAXIMUM WATER TABLE Owner or builder N. Lawrence Miller 8/9/74 date

Application Disapproved for the following reasons: See plan for Drainage 8-9-74 date



BOARD OF HEALTH, AMHERST, MASSACHUSETTS
CERTIFICATE OF COMPLIANCE

THIS IS TO CERTIFY, That the individual Sewage Disposal System installed () or repaired () by _____ at _____ has been constructed in accordance with the provisions of

INSTALLER

Article XI of the State Sanitary Code as described in the application for Disposal Works Construction Permit No. _____ dated _____

The issuance of this certificate shall not be construed as a guarantee that the system will function satisfactorily.

DATE _____ Inspector _____

BOARD OF HEALTH, AMHERST, MASSACHUSETTS
DISPOSAL WORKS CONSTRUCTION PERMIT

No. 774-5 Permission is hereby granted N. Lawrence Miller to construct (X) or repair () an

Individual Sewage Disposal System at Lot 244 Hunt Rd

as shown on the application for Disposal Works Construction Permit No. 774-5

This permit is issued with the understanding that future alterations or additions will be made if necessary. This permit shall not be construed as permission to create or maintain any sewage nuisance and in the issuance of this permit the Board of Health assumes no responsibility for the future operation or maintenance of the system.

DATE Aug 9, 1974 [Signature] Board of Health

244
Cap. 244
244

W. B. ...
...
...

200

200

200

...

...

...
...
...
...
...

...


...

...

...


DETAIL

LEACHING BED



- ALL WORK DONE ACCORDING TO STATE SAN. CODE ART II
- PERF. PIPE 6' ON CENTER

HULST ROAD
PROP. WATER W/ LINE 2




AMHERST, MASS.
PLAN OF PROPOSED
SEWAGE DISPOSAL FIELD
PREPARED FOR
ED MARKERT

Elmer M. Huntley, Jr.



ALMER HUNTLEY, JR. & ASSOCIATES, INC.
REGISTERED LAND SURVEYORS & CIVIL ENGINEERS
238 BRIDGE STREET
NORTHAMPTON, MASS.


SCALE: 1"=40'
12-17-73 R.E.S.




OBSERVATION PITS

REQUESTED BY: ED MARKERT
 LOCATION: ELP HILL
AMHERST
 MAIL ADDRESS: _____


DATE: 12/3/73
 OBSERVER: JH, RS
RB




GROUND WATER 3'-0"
 PERC RATE: 2.4 MIN./IN.



GROUND WATER 6'-3"
 PERC RATE: 10.0 MIN/IN




GROUND WATER 3'-9"
 PERC RATE: _____



GROUND WATER 5'-9"
 PERC RATE: 1.3 MIN/IN

ALMER HUNTLEY, JR. & ASSOCIATES, INC.
 REGISTERED LAND SURVEYORS & CIVIL ENGINEERS
 238 BRIDGE STREET
 NORTHAMPTON, MASS.



91 Hubst Rd

BOARD OF HEALTH, AMHERST, MASSACHUSETTS
APPLICATION FOR DISPOSAL WORKS CONSTRUCTION PERMIT

No. 71-22 Date 9/9/71 Fee \$3.00 Date Rec'd. 9/9/71 By D. G. F.

Application is hereby made for a permit to Construct () or Repair () an Individual Sewage Disposal System at:

Location—Address Ell Hill 91 Hubst Rd or Lot No. _____

Owner N. Lawrence Miller Address 222 N. East St. Amherst

Contractor Same Address _____

Type of Building 1 Family residence Dimensions 24 x 48 Size Lot _____

Dwelling—No. of Bedrooms 3 Expansion Attic (N) Garbage Grinder (Y)

Other _____ No. of persons _____ Showers ()

Other fixtures _____

Town Water? Yes Type of Well _____

Design Flow ~~300~~ gallons per person per day. Total daily flow 375 gallons

Septic Tank—Liquid capacity 1000 gallons Dimensions: L _____ W _____ D _____

Disposal Trench—No. 1 Width 12 Total Length 26 Total leaching area 312 sq. ft.

Disposal Bed—No. _____ Diameter _____ Depth below inlet _____ Total leaching area _____ sq. ft.

Dry Well—No. _____ Diameter _____ Depth below inlet _____ Dimensions: _____ x _____ x _____

Other: Distribution box () No. _____ Dosing tank ()

(Depth of Soil Line Below finished grade at foundation _____)

Percolation Test Results Performed by Kendall G. Lund Date 8 23 71

Test Pit No. 1 6 minutes per inch Depth of Test Pit 4'-0"

Test Pit No. 2 _____ minutes per inch Depth of Test Pit _____

Description of Soil Fine to med sand (SP) Depth to Ground Water 6.5' (8-71)

Will disposal area be filled? no Cut down? _____

(On reverse side or separate sheet, show plot plan with building. Include dimensions, distances from all boundaries. Show location of wells, streams, ledge, large trees, etc.)

AGREEMENT: The undersigned agrees to construct the aforescribed individual sewage disposal system in accordance with the provisions of Article XI of the Sanitary Code and regulations of the Amherst Board of Health. The undersigned further agrees not to place the system in operation until a Certificate of Compliance has been issued by this board of health.

N. Lawrence Miller 9/9/71
Owner or builder date

Application Approved by [Signature]

Note:
Curtain drain to be installed to extend at least 4.0' below bottom of trench.

Application Disapproved for the following reasons:

BOARD OF HEALTH, AMHERST, MASSACHUSETTS
CERTIFICATE OF COMPLIANCE

THIS IS TO CERTIFY, That the individual Sewage Disposal System installed () or repaired () by _____ at _____ has been constructed in accordance with the provisions of

INSTALLER

Article XI of the State Sanitary Code as described in the application for Disposal Works Construction Permit No. _____ dated _____

The issuance of this certificate shall not be construed as a guarantee that the system will function satisfactorily.

DATE _____ Inspector _____

BOARD OF HEALTH, AMHERST, MASSACHUSETTS
DISPOSAL WORKS CONSTRUCTION PERMIT

No. 71-22 Permission is hereby granted N. L. Miller to construct (X) or repair () an


Individual Sewage Disposal System at Ell Hill

as shown on the application for Disposal Works Construction Permit No. _____

This permit is issued with the understanding that future alterations or additions will be made if necessary. This permit shall not be construed as permission to create or maintain any sewage nuisance and in the issuance of this permit the Board of Health assumes no responsibility for the future operation or maintenance of the system.

DATE 9-9-71

[Signature]
Board of Health



Rans

TOWN OF AMHERST

INSPECTION SERVICES/HEALTH PERMITS

Received of N. LAURENCE MILLER of 91 HULST RD, AMHERST MA 01002
Name Address

For Property Located at WEST STREET, LOT #3, AMHERST MA.
Street Address Owner

<input checked="" type="checkbox"/>	Bakery	01-0-501-4433-00	<input checked="" type="checkbox"/>	Perc Test	01-0-501-4344-00
<input type="checkbox"/>	Bed & Breakfast	01-0-501-4474-01	<input type="checkbox"/>	Pool	01-0-501-4471-00
<input type="checkbox"/>	Catering	01-0-501-4429-00	<input type="checkbox"/>	Rec. Camp	01-0-501-4424-00
<input type="checkbox"/>	Food Handler	01-0-501-4474-00	<input type="checkbox"/>	Retail Permit	01-0-501-4473-00
<input type="checkbox"/>	Frozen Desserts	01-0-501-4421-00	<input type="checkbox"/>	Sanitary Code Booklet	01-0-501-4380-00
<input checked="" type="checkbox"/>	Housing Inspection	01-0-501-4348-00	<input type="checkbox"/>	Septic Installers Permit	01-0-501-4470-01
<input type="checkbox"/>	Massage	01-0-501-4425-00	<input type="checkbox"/>	Septic Private Applications	01-0-501-4470-00
<input type="checkbox"/>	Milk	01-0-501-4420-00	<input type="checkbox"/>	Septic - Reinspection	01-0-501-4345-00
<input type="checkbox"/>	Motel License	01-0-501-4428-00	<input type="checkbox"/>	Sub-Division Rev.	01-0-501-4460-00
<input type="checkbox"/>	Miscellaneous	01-0-501-_____	<input type="checkbox"/>	Tanning	01-0-501-4434-00
<input type="checkbox"/>	Offal/Garbage	01-0-501-4472-00	<input type="checkbox"/>	Twenty-one D Tickets	01-0-501-4879-00

Norma J. Lynch
 Treasurer/Collector

TOTAL FEE: \$100.00
APR 7 1997
 Date

Permit Transfer CMO 4/4/97
 Inspection Services

White - Applicant Yellow - Collector Pink - Inspection Services
 TOWN OF AMHERST CH# 2759
 TREASURER

TONY - ORANGE TREE
THE SECTION SERVICE HEALTH SERVICE

[Faint, illegible text, likely bleed-through from the reverse side of the page]