

No. 87-16

FEE _____

THE COMMONWEALTH OF MASSACHUSETTS

BOARD OF HEALTH

TOWN OF AMHERST

Application for Disposal Works Construction Permit



Application is hereby made for a Permit to Construct (✓) or Repair () an Individual Sewage Disposal System at:

Location - Address: Montague Road Lot 1
Owner: Kenton Sharp or Lot No. 371 Montague Road Amherst, MA.
Installer: Richard Roberts Address _____

Type of Building _____ Size Lot 1 ± Acres Sq. feet _____
Dwelling — No. of Bedrooms 5 Expansion Attic () Garbage Grinder ()
Other — Type of Building _____ No. of persons _____ Showers () — Cafeteria ()
Other fixtures _____

Design Flow 55 gallons per person per day. Total daily flow 550 x 1.25 = 688 gallons.
Septic Tank — Liquid capacity 1500 gallons Length 10 1/2' Width 5' Diameter _____ Depth 5'
Disposal Trench — No. 3 Width 2' Total Length 189' Total leaching area 189 sq. ft. Sides
Seepage Pit No. _____ Diameter _____ Depth below inlet 0.5' Total leaching area 378 sq. ft. Bottom
Other Distribution box (x) _____ Dosing tank () _____
Percolation Test Results Performed by F.A. Filias Date 12/16/86
Test Pit No. 1 4 minutes per inch Depth of Test Pit 91" Depth to ground water NONE
Test Pit No. 2 _____ minutes per inch Depth of Test Pit 76" Depth to ground water 75"

Description of Soil Enclosed

Nature of Repairs or Alterations — Answer when applicable _____

Agreement:
The undersigned agrees to install the aforescribed Individual Sewage Disposal System in accordance with the provisions of TITLE 5 of the State Sanitary Code — The undersigned further agrees not to place the system in operation until a Certificate of Compliance has been issued by the board of health.

Signed Kenton Sharp _____ Date _____

Application Approved By _____ Date _____

Application Disapproved for the following reasons: _____ Date _____

Permit No. _____ Issued _____ Date _____

THE COMMONWEALTH OF MASSACHUSETTS

BOARD OF HEALTH

TOWN OF AMHERST

Certificate of Compliance

THIS IS TO CERTIFY, That the Individual Sewage Disposal System constructed (✓) or Repaired () by _____


at Lot 1, Montague Road Installer _____

has been installed in accordance with the provisions of TITLE 5 of The State Sanitary Code as described in the application for Disposal Works Construction Permit No. _____ dated _____

THE ISSUANCE OF THIS CERTIFICATE SHALL NOT BE CONSTRUED AS A GUARANTEE THAT THE SYSTEM WILL FUNCTION SATISFACTORY.

DATE _____ Inspector _____

CHECK OR FILL IN WHERE APPLICABLE




No. 87-16

New-Const. Complied etc.

FEE \$90

THE COMMONWEALTH OF MASSACHUSETTS
BOARD OF HEALTH
TOWN OF AMHERST



Application for Disposal Works Construction Permit

Application is hereby made for a Permit to Construct (✓) or Repair () an Individual Sewage Disposal System at:

371 Montague Road Lot 1
Kenton Tharp Location - Address
Richard Roberts Owner
371 Montague Road Amherst, MA, Address
LEVER Address

Type of Building
Dwelling - No. of Bedrooms 5 Expansion Attic () Garbage Grinder ()
Other - Type of Building No. of persons Showers () - Cafeteria ()
Other fixtures

Design Flow 55 gallons per person per day. Total daily flow 550 x 1.25 = 688 gallons.
Septic Tank - Liquid capacity 1500 gallons Length 10 1/2' Width 5' Diameter Depth 5'
Disposal Trench - No. 3 Width 2' Total Length 189' Total leaching area 189 sq. ft. Sides
Seepage Pit No. Diameter Depth below inlet .5' Total leaching area 378 sq. ft. Bottom

Other Distribution box (x) Dosing tank ()
Percolation Test Results Performed by F.A. Filias Date 12/16/86
Test Pit No. 1 4 minutes per inch Depth of Test Pit 91" Depth to ground water NONE
Test Pit No. 2 minutes per inch Depth of Test Pit 76" Depth to ground water 75"

Description of Soil Enclosed
Nature of Repairs or Alterations - Answer when applicable

Agreement:
The undersigned agrees to install the aforescribed Individual Sewage Disposal System in accordance with the provisions of TITLE 5 of the State Sanitary Code - The undersigned further agrees not to place the system in operation until a Certificate of Compliance has been issued by the board of health.

Signed Kenton Tharp
Application Approved By [Signature] Date 6/17/87

Application Disapproved for the following reasons:
Permit No. 87-16 Issued 6-17-87 Date

THE COMMONWEALTH OF MASSACHUSETTS
BOARD OF HEALTH
TOWN OF AMHERST
Certificate of Compliance

THIS IS TO CERTIFY That the Individual Sewage Disposal System constructed (✓) or Repaired () by Richard Roberts Installer at Lot 1, Montague Road has been installed in accordance with the provisions of TITLE 5 of The State Sanitary Code as described in the application for Disposal Works Construction Permit No. 87-16 dated 06.17.87

THE ISSUANCE OF THIS CERTIFICATE SHALL NOT BE CONSTRUED AS A GUARANTEE THAT THE SYSTEM WILL FUNCTION SATISFACTORY.
DATE July 18, 1987 Inspector [Signature]

THE COMMONWEALTH OF MASSACHUSETTS
BOARD OF HEALTH
TOWN OF AMHERST
No. 87-16 FEE \$90

Disposal Works Construction Permit

Permission is hereby granted Kenton Tharp - Ins. to Construct (✓) or Repair () an Individual Sewage Disposal System at No. Lot 1 Montague Road Street 87-16 Dated 6-17-87 as shown on the application for Disposal Works Construction Permit No. [Signature] Board of Health DATE 6-17-87

CHECK OR FILL IN WHERE APPLICABLE

