

BOARD OF HEALTH  
TOWN OF AMHERST, MASSACHUSETTS

#741

Important Information Regarding Your Private Sewage Disposal System

DISPLAY THIS DOCUMENT IN A PROMINENT PLACE


Owner JOHNSTONE CAMPBELL Address 741 N. EAST ST  
Installer KARLS ETC. Address RIVER DR. HANOVER  
Date Installation Inspected and Approved JUN 23, 1976

Description of System: Tank Capacity: 600<sup>l</sup> EXISTING

Leach Field ( ) Bed (X) Seepage Pit ( ) Square Feet: 400

Garbage Grinder Yes ( ) No (X) No. Bedrooms: 2 No. People 4

AS - BUILT PLAN:



PROPER MAINTENANCE OF YOUR PRIVATE SEWAGE DISPOSAL SYSTEM

1. This system must be inspected periodically and the tank pumped out at an interval not to exceed 2-3 years.
2. For your protection sanitary pumpers are licensed by the Amherst Board of Health.
3. Regular pumping is crucial to avoid early failure and costly repairs of the system.
4. DO NOT dispose into the system such items as rags, string, sanitary napkins, coffee grounds as they can cause it to clog and fail.
5. Further information can be obtained by contacting your Health Department at 253-7077.

