

#29

BOARD OF HEALTH, AMHERST, MASSACHUSETTS
APPLICATION FOR DISPOSAL WORKS CONSTRUCTION PERMIT

No. 73-23 Date 5/4/73 Fee \$3.00 Date Rec'd. 5/4/73 By DGF

Application is hereby made for a permit to Construct (X) or Repair () an Individual Sewage Disposal System at:

Location—Address Stagecoach Road or Lot No. 232

Owner Theodore Greenwood Address 32 Upland Rd. Leeds MA 01053

Contractor H. P. GREENE, BELCHERTOWN Address _____

Type of Building _____ Dimensions _____ Size Lot 9/10 Ac.

Dwelling—No. of Bedrooms 3 Expansion Attic () Garbage Grinder (yes)

Other _____ No. of persons _____ Showers ()

Other fixtures _____

Town Water? yes Type of Well _____

Design Flow 50 gallons per person per day. Total daily flow 300 gallons

Septic Tank—Liquid capacity 1000 gallons Dimensions: L _____ W _____ D _____

Disposal Trench—No. Bed Width 18' Total Length 21 Total leaching area 378 sq. ft.

Disposal Bed—No. _____ Diameter _____ Depth below inlet _____ Total leaching area _____ sq. ft.

Dry Well—No. _____ Diameter _____ Depth below inlet _____ Dimensions: _____ x _____ x _____

Other: Distribution box () No. _____ Dosing tank ()

(Depth of Soil Line Below finished grade at foundation _____)

Percolation Test Results Performed by Mike J. Huber PE Date 4-3-73

Test Pit No. 1 7 minutes per inch Depth of Test Pit 7.0'

Test Pit No. 2 _____ minutes per inch Depth of Test Pit _____

Description of Soil silty sand Depth to Ground Water 4.0'

Will disposal area be filled? yes Cut down? no

(On reverse side or separate sheet, show plot plan with building. Include dimensions, distances from all boundaries. Show location of wells, streams, ledge, large trees, etc.)

AGREEMENT: The undersigned agrees to construct the aforedescribed individual sewage disposal system in accordance with the provisions of Article XI of the Sanitary Code and regulations of the Amherst Board of Health. The undersigned further agrees not to place the system in operation until a Certificate of Compliance has been issued by this board of health.

Application Approved by [Signature] Theodore Greenwood 5/3/73
Owner or builder date
[Signature] 5/3/73
date

Application Disapproved for the following reasons: _____


BOARD OF HEALTH, AMHERST, MASSACHUSETTS
CERTIFICATE OF COMPLIANCE

THIS IS TO CERTIFY, That the individual Sewage Disposal System installed () or repaired () by _____ at _____ has been constructed in accordance with the provisions of

INSTALLER
Article XI of the State Sanitary Code as described in the application for Disposal Works Construction Permit No. _____ dated _____

The issuance of this certificate shall not be construed as a guarantee that the system will function satisfactorily.

DATE _____ Inspector _____



Box 346 RFD #2

Amherst MA 01002

4-6-73

Mr. Theodore Greenwood

32 Upland Road

Leeds MA 01053

Dear Sir.

Enclosed is the sanitary sewage disposal
for lot # 232 on Stage coach road Amherst

The area for the disposal field must be filled
3' with clean sand because we found a high
water table there. Also I recommend a good system
of foundation drains around your house.

Call me if you have any questions or if you
wish to change the design.

Present the papers to Amherst Board of Health
for construction permit and then you can
obtain a building permit.


My charge for this work is \$25⁰⁰

Thank you

Miles J. Huber P
E

Paid
4-17-73
519

Lot 232




Remove top soil
truck in 3' clean sand
install disposal Bed
18x21

Replace top soil and
Terrace
Foundation Drains

State sanitary Code Art XI
Specs for Field + Fill area

Stagecoach Road



Note:

On Fill Area: Remove top soil. Truck in 3' of clean sand. Install disposal bed 18' x 21'. Replace top soil. Area to be a terrace when finished.

Be sure foundation drains are installed around house.

See "THE STATE SANITARY CODE" ART. XI for additional specs. for field and fill area.

Plan showing
Sanitary Sewage Disposal
for Lot 232

Stagecoach Road
Amherst MA

1"=40'

4-4-73

M.J. Fubler




DEEP SOIL LOGS

OWNER Theodore Greenwood

DATE 4-3-73

LOCATION Lot 232 Stagecoach Rd.

OBSERVER M.J. Hubler



BOARD OF HEALTH
AMHERST MASS.

