

#46

APPLICATION FOR DISPOSAL WORKS CONSTRUCTION PERMIT

No. 15-63 Date 5/8/63 Fee 3.00 Date Rec'd. 5/10/63 By FAS

Application is hereby made for a permit to Construct (x) or Repair () an Individual Sewage Disposal System at:

Location—Address Valley View Drive or Lot No. 12

Owner Keddy Builders Inc. Address 200 N. Main St. E. Long.

Contractor Same Address Same

Type of Building Residence Dimensions 27'x40' Size Lot 20,000 Sq ft

Dwelling—No. of Bedrooms 3 Expansion Attic () Garbage Grinder ()

Other Spec No. of persons Spec Showers ()

Other fixtures Complete Bath and Laundry

Town Water? yes Type of Well none

Design Flow 50 gallons per person per day. Total daily flow 600 gallons

Septic Tank—Liquid capacity 1200 gallons Dimensions: L 10'-3" W 4' D 4'

Disposal Trench—No. 3 Width 36" Total Length 150' Total leaching area 600 sq ft

Disposal Bed—No. 3 Diameter 36" Depth below inlet 300' Total leaching area 600 sq ft

Dry Well—No. 3 Diameter 36" Depth below inlet 300' Dimensions: 36" x 36" x 300'

Other: Distribution box (x) No. 1 Dosing tank ()

(Depth of Soil Line Below finished grade at foundation 12" or less)

Percolation Test Results Performed by Smith & Wallen Engineering Co Date 4/30/63

Test Pit No. 1 10 minutes per inch Depth of Test Pit 3 feet

Test Pit No. 2 10 minutes per inch Depth of Test Pit 3 feet

Description of Soil Gravel, some clay Depth to Ground Water See affidavit

Will disposal area be filled? no Cut down? no

(On reverse side or separate sheet, show plot plan with building. Include dimensions, distances from all boundaries. Show location of wells, streams, ledge, large trees, etc.)

AGREEMENT: The undersigned agrees to construct the aforescribed individual sewage disposal system in accordance with the provisions of Article XI of the Sanitary Code and regulations of the Amherst Board of Health. The undersigned further agrees not to place the system in operation until a Certificate of Compliance has been issued by this board of health.

[Signature] 5/8/63
Owner or builder date

Application Approved by F. A. Siino

5/8/63
date

Application Disapproved for the following reasons:

BOARD OF HEALTH, AMHERST, MASSACHUSETTS
CERTIFICATE OF COMPLIANCE

THIS IS TO CERTIFY, That the individual Sewage Disposal System installed (x) or repaired () by Keddy Builders Inc. at Lot No. 12 has been constructed in accordance with the provisions of

INSTALLER

Article XI of the State Sanitary Code as described in the application for Disposal Works Construction Permit No. 15-63 dated 5/8/63

The issuance of this certificate shall not be construed as a guarantee that the system will function satisfactorily.

DATE 7/19/63

Inspector [Signature]

BOARD OF HEALTH, AMHERST, MASSACHUSETTS
DISPOSAL WORKS CONSTRUCTION PERMIT


No. 15-63
Permission is hereby granted Keddy Builders Inc. to construct (x) or repair () an Individual Sewage Disposal System at Lot 12 - Valley View Dr.

as shown on the application for Disposal Works Construction Permit No. 15-63

This permit is issued with the understanding that future alterations or additions will be made if necessary. This permit shall not be construed as permission to create or maintain any sewage nuisance and in the issuance of this permit the Board of Health assumes no responsibility for the future operation or maintenance of the system.

F. A. Siino
Board of Health [Signature]

DATE 5/8/63



NEED
PARCEL