

APPLICATION FOR PERMIT TO CONSTRUCT OR REPAIR  
A PRIVATE SEWAGE DISPOSAL SYSTEM

TO: THE BOARD OF HEALTH, AMHERST, MASS.

No. 19

Stanley D. Kiebowicz of 133 West St. AL 3-7604  
(owner's name) (address) (phone)

hereby applies for a permit to construct or repair a private disposal system for a Home  
(residence, store, etc.)

which will be located at West St Amherst to be installed by  
Stanley D. Kiebowicz 133 West St AL 3 7604  
(name) (address) (phone)

Builder is Don Miller Plumber is \_\_\_\_\_

Description of lot, building and fixtures as follows:

Lot: Dimensions 140 X 200 Type of Soil hardly gravel Well or Town Water? Town Water

Distance to Town Sewer none Depth to Ground Water 8 ft. Kind of Well \_\_\_\_\_

Will Lot be Graded? yes By Filling or Removing Soil? by Filling

Building: Dimensions 28 X 56' No. Bedrooms 2 No. Occupants 4

Fixtures: No. Toilets 1 Urinals \_\_\_\_\_ Wash Basins 2 Bathtubs 1

Showers 1 Kitchen Sinks 1 Garbage Grinders \_\_\_\_\_

Auto Dishwasher \_\_\_\_\_ Auto. Clotheswasher later on Other (basement) \_\_\_\_\_

(On reverse side show plot plan with building. Include dimensions, distances from all boundaries. Show location of wells, streams, ledge, large trees, etc.)

I certify that the above information is correct and that I will notify the Board of Health if any conditions are changed. I also declare that I have read and understand all the rules and regulations applying hereto and will comply with all requirements and stipulations as included in a permit if issued to me.

Date July 13, 1959 Stanley D. Kiebowicz  
(Signature of Applicant)

PERMIT TO CONSTRUCT OR REPAIR A PRIVATE SEWAGE DISPOSAL SYSTEM

Stanley Kiebowicz is hereby granted permission to proceed with the construction or repair of private sewage disposal system with the following minimum requirements:

Septic Tank: Must be of Cement and of 900 Gals. Liquid Capacity.

Leaching System: Trenches of not less than \_\_\_\_\_ Sq. Ft. bottom area.

Dry well 32 ft. bottom area and 6 ft. below the inlet.

Other \_\_\_\_\_

This permit is issued with the understanding that future alterations or additions will be made if necessary. This permit shall not be construed as permission to create or maintain any sewage nuisance and in the issuance of this permit the Board of Health assumes no responsibility for the future operation or maintenance of the system.

H. A. Sims 7/22/59  
for the Board of Health date

Inspected \_\_\_\_\_ Approved \_\_\_\_\_

91

2/10/1